

BINKS FRP

Binks Century FRP Spray Guns and Systems

Binks Gel Coat and Resin Laminating equipment



Binks have been producing the best FRP equipment for over 50 years and with the addition of the new Century Pump to the Binks "Low Emission Laminator" (LEL) product line provides a complete range of FRP spray guns, spray tips, air nozzles, mixing valves and outfits for the non-atomizing application of resins and gel coats used in open moulding processes.

Binks Offers the Very Best Production Systems

Our total commitment to the composites and protective coating industries provides our customers with many production and environmental advantages. Our full line of Compliant LEL systems, spray guns, and outfits consistently delivers high quality, bottom-line results needed by manufacturing today.

EPA Compliance

Of critical importance to composites manufacturers is the use of EPA Compliant Technologies in their manufacturing operations. One such technology used in Binks Century LEL Spray Guns is Non-Atomizing Resin Application, through extensive testing using the guidelines from the EPA Styrene Emissions Test Protocol, Binks Century LEL guns have proven to emit monomer at or below the levels predicted per EPA guidelines. A complete emissions test report is available from Finishing Brands upon request.

Typical Applications

- Marine and Boat Building
- FRP Tank and Pipe products
- General FRP products (structural, decorative, or architectural)
- Transport, including off-road Vehicles, Rail, Truck and Bus
- Cultured Marble
- Bathroom Bath and Shower Trays
- Wind Power

Fully CE & ATEX approved for all applications

Binks Spray guns offer internal and external atomisation with a wide tip range

Outfits use lower air & fluid pressures for superior transfer efficiency, cost savings and reduced operator exposure to fumes and mist

Systems engineered for a long and reliable working life, made from modular sub assemblies for fast re-builds and easy maintenance

Catalyst flow meter included for precise and easy mix control

Reversible carbide seats for longer low cost pump life cycle

Self adjusting spring loaded pump packings

CENTURY™ FRP
SYSTEMS



finishingbrands.eu





New Design Optimized for your Application

The Binks Century resin and catalyst pump features several new innovations, designed to provide dependable, long lasting performance under the most demanding production environments.




FRP Spray Gun Selection Guide

EPA – Compliant Low Emission Spray Guns

- Uniform, consistent, reliable mix
- Internal or External mix of catalyst and resin available
- One-touch flush for easy cleaning
- Cartridge resin needle and seat assembly
- Resin cartridge needle assembly changes out in less than five minutes

This chart will help you quickly assess which Binks spray gun is suitable for your specific application. First, decide what type of spray gun you need. Then, under the heading that meets these criteria, find the usage description that best matches your application.



Part No. 102-3610
Binks Century LEL
External Mix Gel
Coat Gun is
renowned for its
easy operation and
low maintenance.

Part No. 102-3655
Binks Century LEL
External Mix
Chopper gun

Part No. 102-3800-1
*Binks Internal Mix
Century LEL Wet
Out Gun

FRP Spray Gun Selection Guide		Gel Coat	Wet-Out	Chop	Grani-Coat	Filled Resin	2K Adhesives	External Mix	Internal Mix	Touch-Up	Conventional Spray	HVLP Spray
Ext Mix Res												
Ext Mix Gel												
Int Mix Res												
AAA Air Assisted Airless HVLP												
102-2400			■					■				■
102-2500		■						■				■
102-2545			■			■		■				■
102-2455				■				■				■
LEL Low Emissions Laminator												
102-3600			■					■				
102-3610		■						■				
102-3655				■				■				
102-3650			■			■		■				
102-3665				■		■		■				
102-3800-1			■						■			
102-3800-2			■						■			
102-3825-1				■					■			
102-3825-2				■					■			
102-3835-1				■		■			■			
102-3835-2				■		■			■			
HVLP												
MACH 1PC							■	■				■
MACH 1PCX		■	■				■		■			■
Conventional Spray												
7N 68SS x 302					■				■			■
7N 68SS x A68PB		■	■					■		■	■	■
2100 GW		■						■		■	■	

*Unique catalyst impingement injection system (Patent Pending) for the smooth and accurate application of Fibreglass resins.

FRP Gun Information

Please specify spray tips when ordering Binks FRP spray guns from the relevant gun Service Bulletin.

How to order Binks Century Spray Guns

Application	Spray Gun	Gun Part No.	Century Gun Description	Part Sheet	Seat Material	Feed Tube Connection	Tip Series
Internal Mix Guns for Resins	Wet-Out	102-3800-1	LEL RESIN 1" MIXER	77-2914	Plastic	1/4" NPSM	118
	Wet-Out	102-3800-2	LEL RESIN 2" MIXER	77-2914	Plastic	1/4" NPSM	118
	Chopper	102-3825-1	LEL RESIN 1" MIXER	77-2914	Plastic	1/4" NPSM	118
	Chopper	102-3825-2	LEL RESIN 2" MIXER	77-2914	Plastic	1/4" NPSM	118
	Chopper	102-3835-1	LEL FILLED RESIN 1" MIXER	77-2914	Carbide	3/8" NPSM	118
	Chopper	102-3835-2	LEL FILLED RESIN 2" MIXER	77-2914	Carbide	3/8" NPSM	118
External Mix Guns for Resins	Wet-Out	102-2400	AAA HVLP	77-2520	Plastic	1/4" NPSM	108
	Wet-Out	102-3600	LEL RESIN	77-2772	Plastic	1/4" NPSM	118
	Wet-Out	102-3650	LEL RESIN	77-2772	Carbide	3/8" NPSM	118
	Chopper	102-2455	AAA HVLP	77-2520	Plastic	1/4" NPSM	108
	Chopper	102-3655	LEL Resin	77-2772	Plastic	1/4" NPSM	108
	Chopper	102-3665	LEL Filled Resin	77-2772	Carbide	3/8" NPSM	108
Internal Mix Guns for Gel-Coat	Gel-Coat	102-2500	AAA HVLP	77-2520	Carbide	1/4" NPSM	108
	Gel-Coat	102-2545	Vinyl Ester AAA HVLP	77-2520	Carbide	3/8" NPSM	108
	Gel-Coat	102-3610	LEL Gel-Coat	77-2772	Carbide	1/4" NPSM	118

AAA = Air Assisted Airless

Standard systems include:

- 1. 6.5:1 with internal mix Century chop gun
- 2. 6.5:1 with external mix Century wet out resin gun
- 3. 6.5:1 with external mix Century chop gun
- 4. 6.5:1 with internal mix Century wet out gun
- 5. 17:1 with external mix Century gel coat gun

Other configurations are available

Outfit Part Number	Pump 17:1 Ratio	Pump 6.5:1 Ratio	102-2500 External Mix Century Gel Coat Gun	102-3610 External Mix Century Gel Coat Gun	102-3600 External Mix Century Wet Out Resin Gun	102-3800-1 Internal Mix Century Wet Out Gun	102-3655 External Mix Century Chop Gun	102-3825-1 Internal Mix Century Chop Gun	Small Cart	Wall-Mounted	Wall-Mounted with Boom	Cart, Mast, & Boom	5 Gallon Siphon Kit (25 litre)	55 Gallon Siphon Kit (210 litres)	Heater Kit (240 volts)	25 Foot Hose Assembly (7.5 metres)
CX2017HC-B2M2S25	■			■					■				■		■	■
CX2017HC-B2M2T25	■			■					■				■		■	■
CX2017HC-A2M0S25	■		■						■				■			
CX2017HC-A2M0T25	■		■						■					■		
CX2006HC-J2M0T25		■			■				■					■		
CX2006HC-L2M0T25		■				■			■					■		■
CX2006HC-L3M0T25		■				■			■					■		■
CX2006HC-R3M0T25		■					■		■			■		■		■
CX2006HC-U3M0T25		■						■	■			■		■		■
CX2017HC-L2M0T25	■					■			■					■		■
CX2017HC-J2M0T25	■						■		■					■		■

Specifications

	CX2006HC	CX2017HC
Pressure Ratio	6.5:1	17:1
Flow Rate at 60 cycles per minute		7.6 l/min
Supports	1 Century Spray Gun – .062" LEL tip or .036" AAA tip	
Displacement per cycle	127 cm ³	
Inlet Fluid Connection	1" NPT (f) or 1 1/4" NPT (m)	
Outlet Fluid Connection	1/2" NPT (f)	
Air Connection	3/8" NPT (f)	
Wetted Materials Resin Pump	Anodised Aluminum, Plated Carbon Steel, Stainless Steel, Hard Chrome, Nylon, PTFE, UHMWPE, Tungsten Carbide	
Wetted Materials Catalyst Pump	Stainless Steel, Silicone Rubber, PTFE, UHMWPE	
Max Fluid Pressure with included air motor	750 psi (52 bar)	1970 psi (136 bar)
Max Air Inlet Pressure	116 psi (8 bar)	
Max Recommended Cycle Rate	Up to 40 Cycles/minute—not continuous	
Noise Level	96 dB(A)	97 dB(A)

For further technical information refer to the product service bulletin

Sales and Service through our Global Network of Industrial Distributors

Finishing Brands Locations

- Americas: **USA** ▪ **Mexico** ▪ **Brazil**
- Europe/Asia/Africa: **United Kingdom** ▪ **France** ▪ **Germany**
- Pacific Rim: **China** ▪ **Japan** ▪ **Australia**



www.finishingbrands.eu

email: marketing@finishingbrands.eu

